

August 2004

Schedule 80 Threaded Drop Pipe

Nominal Pipe Size (inches)	Average Outside Diameter (inches)	Approximate Inside Diameter (inches)	Minimum Wall Thickness (inches)	Pressure Rating (psi)	Approximate Weight (lbs/100')
1	1.315	0.93	0.179	320	42
1 ^{1/4}	1.660	1.25	0.191	260	58
1 ^{1/2}	1.900	1.47	0.200	240	70
2	2.375	1.91	0.218	200	97

Schedule 120 Threaded Drop Pipe

Nominal Pipe Size (inches)	Average Outside Diameter (inches)	Approximate Inside Diameter (inches)	Minimum Wall Thickness (inches)	Pressure Rating (psi)	Approximate Weight (lbs/100')
1	1.315	0.89	0.200	360	46
1 ^{1/4}	1.660	1.20	0.215	300	64

General Notes:

1. Product standard: Drop pipe meets the requirements of ASTM D 1785.
2. Material: PVC material meets cell class 12454 per ASTM D 1784.
3. Product listing: Drop pipe is listed for potability to ANSI/NSF Standard 61.
4. Special information:
 - a. Pipe is produced in 20-foot lengths only.
 - b. Schedule 80 Threaded Drop Pipe Couplings are available in 1" and 1^{1/4}" sizes.
5. Inside diameters may vary due to allowable manufacturing tolerances.
6. Approximate weights are for estimating purposes only.
7. All orders are subject to final acceptance by PWEagle sales management.